

# Parallel analysis and scaling for MUMPS

A. Buttari and B. Uçar  
CNRS-IRIT Toulouse, CNRS-LIP Lyon

Sparse Days and ANR SOLSTICE Final Workshop, June  
2010

MUMPS

# Sparse direct solvers: the three phases

The solution of a sparse system with the MUMPS solver is achieved in three phases:

## 1. The **Analysis** phase

- Fill-reducing pivot order
- Symbolic factorization
- Scaling
- Amalgamation
- Mapping
- ...

## 2. The **Factorization** phase

- $LU = PA$


## 3. The **Solve** phase

- Forward/backward substitutions

# Sparse direct solvers: the three phases

The solution of a sparse system with the MUMPS solver is achieved in three phases:


1. The **Analysis** phase
  - Fill-reducing pivot order
  - Symbolic factorization
  - Scaling
  - Amalgamation
  - Mapping
  - ...
2. The **Factorization** phase
  - $LU = PA$
3. The **Solve** phase
  - Forward/backward substitutions



# Sparse direct solvers: the three phases

The solution of a sparse system with the MUMPS solver is achieved in three phases:

- I. The **Analysis** phase
  - Fill-reducing pivot order
  - Symbolic factorization
  - Scaling



Towards a Parallel Analysis

MCMPS

# An approach to parallelization of the analysis

Briefly:

**Problem:** the sequential analysis of very large scale problems can be expensive

- memory consumption
- time to completion

**Solution:** parallelization of the analysis

# An approach to parallelization of the analysis

Briefly:

**Problem:** the sequential analysis of very large scale problems can be expensive

- memory consumption
- time to completion

**Solution:** parallelization of the analysis

1. Parallel ordering of the problem using an external tool such as **PT-SCOTCH** or **ParMETIS** on  $struct(A + A^T)$

# An approach to parallelization of the analysis

Briefly:

**Problem:** the sequential analysis of very large scale problems can be expensive

- memory consumption
- time to completion



**Solution:** parallelization of the analysis

1. Parallel ordering of the problem using an external tool such as **PT-SCOTCH** or **ParMETIS** on  $struct(A + A^T)$
2. Parallel symbolic factorization based on **quotient graphs** and **restarting** techniques

# Phase1: parallel ordering

## ParMETIS



- nested dissection stops at NP subdomains
- works only on  $2^k$  processors
- quality of ordering degrades NP
- fast



# Phasel: parallel ordering

## PT-SCOTCH



- nested dissection does not stop at NP subdomains
- works on any number of processors
- quality of ordering is independent from NP
- a bit slower



# Phasel: parallel ordering

## Both


- get a distributed graph in input
- return an ordering and a separators tree on output



# The symbolic factorization: quotient graphs

$$A \in \mathbb{R}^{n \times n} \Rightarrow G = (V, E) \quad V = \{1, \dots, n\} \quad E = \{(i, j) | a_{ij} \neq 0\}$$

- **variables**: non-eliminated nodes
- **elements**: eliminated nodes



- **Quotient graphs**: elimination graphs  $G^k$  can be implicitly represented by quotient graphs  $\mathcal{G}^k = (V^k, \bar{V}^k, E^k, \bar{E}^k)$ 
  - $V^k$ : set of **variables**
  - $\bar{V}^k$ : set of **elements**
  - $E^k \subseteq V^k \times V^k$ : set of edges between variables
  - $\bar{E}^k \subseteq V^k \times \bar{V}^k$ : set of edges between variables and elements


# The symbolic factorization: quotient graphs

The symbolic factorization computes:

$$d_k = \left( \mathcal{A}_k^{k-1} \cup_{e \in \mathcal{E}_i^{k-1}} \mathcal{L}_e^{k-1} \right) \setminus \{k\}$$

where


- $\mathcal{A}_i^k = \{j : (i, j) \in E^k\} \subseteq V$
- $\mathcal{E}_i^k = \{e : (i, e) \in \bar{E}^k\} \subseteq \bar{V}^k$
- $\mathcal{L}_e^k = \{i : (i, e) \in \bar{E}^k\} \subseteq V^k$



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- Nodes Absorption
- Redundant Edges Elimination



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- Nodes Absorption
- Redundant Edges Elimination



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- **Nodes Absorption** All the elements in  $\mathcal{E}_k^{k-1}$  will be removed from  $\mathcal{G}^k$  and all the variables in  $\mathcal{L}_e^{k-1}$  for each  $e \in \mathcal{E}_k^{k-1}$  will be included in  $\mathcal{L}_k^k$
- **Redundant Edges Elimination**



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- **Nodes Absorption** All the elements in  $\mathcal{E}_k^{k-1}$  will be removed from  $\mathcal{G}^k$  and all the variables in  $\mathcal{L}_e^{k-1}$  for each  $e \in \mathcal{E}_k^{k-1}$  will be included in  $\mathcal{L}_k^k$
- **Redundant Edges Elimination**



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- **Nodes Absorption** All the elements in  $\mathcal{E}_k^{k-1}$  will be removed from  $\mathcal{G}^k$  and all the variables in  $\mathcal{L}_e^{k-1}$  for each  $e \in \mathcal{E}_k^{k-1}$  will be included in  $\mathcal{L}_k^k$
- **Redundant Edges Elimination** Any edge  $(i,j)$  where  $i,j \in \mathcal{L}_k^k$  will be suppressed



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- **Nodes Absorption** All the elements in  $\mathcal{E}_k^{k-1}$  will be removed from  $\mathcal{G}^k$  and all the variables in  $\mathcal{L}_e^{k-1}$  for each  $e \in \mathcal{E}_k^{k-1}$  will be included in  $\mathcal{L}_k^k$
- **Redundant Edges Elimination** Any edge  $(i,j)$  where  $i,j \in \mathcal{L}_k^k$  will be suppressed



# The symbolic factorization: quotient graphs

The usage of quotient graphs can benefit from a number of simplifications


- **Nodes Absorption** All the elements in  $\mathcal{E}_k^{k-1}$  will be removed from  $\mathcal{G}^k$  and all the variables in  $\mathcal{L}_e^{k-1}$  for each  $e \in \mathcal{E}_k^{k-1}$  will be included in  $\mathcal{L}_k^k$
- **Redundant Edges Elimination** Any edge  $(i,j)$  where  $i,j \in \mathcal{L}_k^k$  will be suppressed



The cost of the symbolic factorization is  $O(\text{nnz}(A))$ .

# The symbolic factorization: restarting


- Restarting



# The symbolic factorization: restarting

- Restarting


- in pivotal steps  $1, \dots, \tau$  are processed and only the adjacency information for variables  $1 - \tau$  is updated in a right-looking way



# The symbolic factorization: restarting

- Restarting


- in pivotal steps  $1, \dots, \tau$  are processed and only the adjacency information for variables  $1 - \tau$  is updated in a right-looking way
- restart**: the adjacency information of variables  $\tau - n$  is updated with respect to elements  $1 - \tau$  in a left-looking way




# The symbolic factorization: restarting

- Restarting

- in pivotal steps  $1, \dots, \tau$  are processed and only the adjacency information for variables  $1 - \tau$  is updated in a right-looking way
- restart**: the adjacency information of variables  $\tau - n$  is updated with respect to elements  $1 - \tau$  in a left-looking way
- apply steps 1 and 2 recursively on variables  $\tau - n$




# Parallel ordering and symbolic facto




- 1 – First pass adjacency graph of the matrix to a parallel ordering tool (PT-SCOTCH or ParMetis). As a result, a **pivotal order** and a **binary separator tree** are returned

# Parallel ordering and symbolic facto




- 2 – Then each processor separately performs the symbolic elimination of the variables contained in a subtree. This symbolic factorization is based on the usage of **quotient graphs** with a restarting technique that mixes left and right looking factorization methods

# Parallel ordering and symbolic facto







- 3 – The host processor eliminates the variables in the top part of the tree using the same technique

# Parallel ordering and symbolic facto




- 4 – The distributed data are merged into a centralized data structure that is used in subsequent steps of the analysis phase like *amalgamation*, *mapping* etc.

# NICE-7: $N=8159758$ , $NNZ=669172552$



# BRGM: ParMETIS vs PT-SCOTCH

- Better ordering with PT-SCOTCH
- ParMETIS faster than PT-SCOTCH
- ParMETIS ordering degrades with increasing parallelism



Parallel Scaling

MCMAPS

# Matrix scaling

## Definition

Given an  $m \times n$  sparse matrix  $\mathbf{A}$ , find diagonal matrices  $\mathbf{D}_1 > 0$  and  $\mathbf{D}_2 > 0$  such that all rows and columns of the scaled matrix

$$\hat{\mathbf{A}} = \mathbf{D}_1 \mathbf{A} \mathbf{D}_2$$

have equal norm.

## Motivations

- Good pivoting strategy, numerical/optimal properties.
- Scaling combined with permutations can avoid many numerical difficulties [Duff and Pralet, SIMAX(2005)] during LU factorization:
  - Provides (weak) diagonal dominance,
  - Increases robustness of the factorization algorithms,
  - May improve the condition number.

# The sequential algorithm (Ruiz 2001)

- 1:  $\mathbf{D}_1^{(0)} \leftarrow \mathbf{I}_{m \times m}$      $\mathbf{D}_2^{(0)} \leftarrow \mathbf{I}_{n \times n}$
- 2: **for**  $k = 1, 2, \dots$  **until** convergence **do**
- 3:     $\mathbf{D}_R \leftarrow \text{diag} \left( \sqrt{\|\mathbf{r}_i^{(k)}\|_\ell} \right)_{i=1, \dots, m}$
- 4:     $\mathbf{D}_C \leftarrow \text{diag} \left( \sqrt{\|\mathbf{c}_j^{(k)}\|_\ell} \right)_{j=1, \dots, n}$
- 5:     $\mathbf{D}_1^{(k+1)} \leftarrow \mathbf{D}_1^{(k)} \mathbf{D}_R^{-1}$
- 6:     $\mathbf{D}_2^{(k+1)} \leftarrow \mathbf{D}_2^{(k)} \mathbf{D}_C^{-1}$
- 7:     $\mathbf{A}^{(k+1)} \leftarrow \mathbf{D}_1^{(k+1)} \mathbf{A} \mathbf{D}_2^{(k+1)}$
- 8: **end for**

## Reminder

$$\|\mathbf{x}\|_\infty = \max\{|x_i|\}$$

$$\|\mathbf{x}\|_1 = \sum |x_i|$$

## Notes

$\ell$ : any vector norm (usually  $\infty$ - and 1-norms)

Convergence is achieved when

$$\max_{1 \leq i \leq m} \left\{ |1 - \|\mathbf{r}_i^{(k)}\|_\ell| \right\} \leq \varepsilon \quad \text{and} \quad \max_{1 \leq j \leq n} \left\{ |1 - \|\mathbf{c}_j^{(k)}\|_\ell| \right\} \leq \varepsilon$$

## Some properties (Ruiz 2001)

- Preserves symmetry; permutation independent; amenable to parallelization,
- With  $\infty$ -norm, linear convergence with asymptotic rate of  $1/2$ ,
- With 1-norm, results are similar to those of the other well-known algorithms; convergence under certain conditions.

## Practical considerations

- Numerical tests toward investigating the effects on LU decomposition, preconditioning [Duff and Pralet, SIMAX(2005)],
- Sequential codes also available in HSL library as MC77 [Ruiz (2001)],
- Parallel codes have been plugged into MUMPS.

# Parallelization: Data distribution

Data:  $\hat{\mathbf{A}}^{(k)}$ ,  $\mathbf{A}$ ,  $\mathbf{D}_1^{(k)}$ ,  $\mathbf{D}_2^{(k)}$ ,  $\mathbf{D}_R$  and  $\mathbf{D}_C$ .

The scaled matrix  $\hat{\mathbf{A}}^{(k)}$

Do not store  $\hat{\mathbf{A}}^{(k)} = \mathbf{D}_1^{(k)} \mathbf{A} \mathbf{D}_2^{(k)}$  explicitly; access  $a_{ij}^{(k)}$  by

$$d_1^{(k)}(i) \times |a_{ij}| \times d_2^{(k)}(j)$$

- Distribute  $\mathbf{A}$ ,  $\mathbf{D}_1$ , and  $\mathbf{D}_2$ . At every iteration  $\mathbf{D}_R$  and  $\mathbf{D}_C$  are computed afresh.
  - Matrix  $\mathbf{A}$  is already distributed (in another context).  
Each processor holds a set of entries  $a_{ij}$  and their indices  $(i, j)$ .
  - Partition the diagonal elements of  $\mathbf{D}_1$  and  $\mathbf{D}_2$  among processors.

## Problem definition

Given a partition on  $\mathbf{A}$ , find the **best** partitions for  $\mathbf{D}_1$  and  $\mathbf{D}_2$ .

# Parallelization: Dependencies

## Local computations

Each processor  $p$  should use each  $(i, j, a_{ij})$  triplet to compute partial results on  $d_R(i)$  and  $d_C(j)$ , e.g., in  $\infty$ -norm, sets

$$d_R^P(i) = \max \left\{ d_1^{(k)}(i) \times |a_{ij}| \times d_2^{(k)}(j) : a_{ij} \in p \right\}$$

## Communication operations


The partial results should be combined/reduced for each  $d_1^{(k+1)}(i)$ .  
The owner of  $d_1(i)$  should set, in  $\infty$ -norm,

$$d_1^{(k+1)}(i) = d_1^{(k)}(i) \times \frac{1}{\sqrt{\max\{d_R^P(i) : 1 \leq p \leq P\}}}.$$

The owner should send  $d_1^{(k+1)}(i)$  back to the contributing processors.

- Similar discussion for  $d_2(j)$ .

# Parallelization: $\infty$ -norm algorithm for step $k$



## Row $r_i$

Processors 2 and 4 contribute to  $d_1^{(k+1)}(i)$ . Whichever owns  $d_1(i)$ , receives one unit of data and sends one unit of data after computing the final  $d_1^{(k+1)}(i)$ .

## Column $c_j$

Processors 1, 2, and 3 contribute to  $d_2^{(k+1)}(j)$ . Whichever owns  $d_2(j)$ , receives two units of data and sends two units of data after computing the final  $d_2^{(k+1)}(j)$ .

# Parallelization: Communication requirements

Common communication cost metric: the total volume.

## Communication for $D_1$

- The volume of data a processor receives while reducing a  $d_1^{(k+1)}(i)$  is equal to the volume of data it sends after computing  $d_1^{(k+1)}(i)$ .
- Nonzeros in row  $r_i$  are split among  $s_r(i)$  processors
  - All contribute to  $d_1^{(k+1)}(i)$ .
  - Reduction on  $s_r(i)$  partial results.
  - If one of those  $s_r(i)$  processors owns  $d_1(i)$ ,  $s_r(i) - 1$  partial results will be send to the owner.
  - If owned by somebody else, then  $s_r(i)$  partial results will be send to the owner.

## Communication for $D_2$

Similar observations.

# Parallelization: Partitioning $D_1$ and $D_2$

## Communication requirements

Nonzeros in row  $r_i$  are split among  $s_r(i)$  processors: total volume of communication is equal to

$$2 \times \sum (s_r(i) - 1)$$

(half for receiving contributions, half for sending back the results).

- The total volume of communication is the same for any  $d_1(i)$  to processor assignment as long as that processor has at least one nonzero from row  $r_i$ .

Similar observation for the column  $c_j$ .

---

Twice the requirements of parallel sparse matrix-vector multiply operation.

# Computations and communication requirements

## Computations (per iteration)

Op.	SpMxV	1-norm	$\infty$ -norm
add	$\text{nnz}(\mathbf{A})$	$2 \times \text{nnz}(\mathbf{A})$	0
mult	$\text{nnz}(\mathbf{A})$	$2 \times \text{nnz}(\mathbf{A}) + m + n$	$2 \times \text{nnz}(\mathbf{A}) + m + n$
comparison	0	0	$2 \times \text{nnz}(\mathbf{A})$

## Communication (per iteration)

The communication operations both in the 1-norm and  $\infty$ -norm algorithms are the same as those in the computations

$$\begin{aligned} \mathbf{y} &\leftarrow \mathbf{A}\mathbf{x} \\ \mathbf{x} &\leftarrow \mathbf{A}^T \mathbf{y} \end{aligned}$$

when the partitions on  $\mathbf{x}$  and  $\mathbf{y}$  are equal to those on  $\mathbf{D}_2$  and  $\mathbf{D}_1$ .

# Parallelization: Our partitioning approach

## What we did?

- Use simple strategies while ensuring that each scaling entry is assigned to a processor that contributes to that entry.

$d_1(i)$  assigned to the processor  $p$  that has an entry  $a_{ij}$  with  $j$  giving  $\min\{|i - j|\}$ ; in case of ties to the processor with the smallest rank.

$d_2(j)$  assigned to the processor  $p$  that has an entry  $a_{ij}$  with  $i$  giving  $\min\{|i - j|\}$ ; in case of ties to the processor with the smallest rank.

## What could be done?

The freedom can be used to optimize some other metrics [U. and Aykanat, SISC(2004); Bisseling and Meesen, ETNA(2005)].

- Communication cost: Minimize number of messages, maximum volume/message per processor.
- Balance the number of  $d_1(i)$  and/or  $d_2(j)$  per processor.

# Parallelization results: Speedup values

matrix	Seq. Time (s.)	Number of processors			
		2	4	8	16
aug3dcqp	8.30	1.7	2.9	4.1	4.5
	3.06	1.9	3.8	4.3	3.6
a2nnsnsl	20.71	1.8	3.1	4.0	4.8
	7.24	1.5	1.8	2.1	3.3
a0nsdsil	20.92	1.8	3.1	4.0	4.6
	7.22	1.5	1.8	2.1	3.2
lhr71	78.25	2.0	3.8	7.3	13.5
	18.10	2.0	3.4	6.8	14.0
G3_circuit	455.25	1.8	3.8	7.4	14.0
	173.11	1.9	3.3	6.9	14.5
thermal2	573.24	2.0	3.9	7.6	14.4
	208.20	1.6	3.4	6.5	13.1

- Averages of 10 different partitions (with [PaToH](#) [Çatalyürek and Aykanat, Tech.Rep (1999)]),
- PC cluster with a [Gigabit Ethernet switch](#) (Intel Pentium IV 2.6 GHz), PC cluster with an [Infiniband interconnect](#) (dual 150 Opteron AMD processors)

Best three and worst three speedup values are shown—speedup tends to be higher with larger number of nonzeros.

# Settings in MUMPS and some numerical results

## Default behavior (ICNTL(8)=7)

One  $\infty$ -norm scaling, three 1-norm scaling.

Behaved better than a number of alternatives (among about 700 matrices, without scaling for 46 matrices parameter ICNTL(14) had to be adjusted; with this setting for 15 matrices).

Typically reduces the number of delayed pivots and off-diagonal pivoting, and hence reduces the memory requirements

	Flops ( $\times 10^6$ )		#entries in factors ( $\times 10^6$ )			
	OFF	ON	estimated		effective	
scaling	OFF	ON	OFF	ON	OFF	ON
C-54	281	209	1.42	1.42	1.76	1.58
a0nsdsil	7.7	2.5	0.42	0.42	0.57	0.42

# Conclusions

Thank you.

Parallel analysis and scaling are good 😊